

Tous droits réservés. Reproduction ou communication à des fins autres que celles autorisées par le fabricant sont formellement interdites. Toute violation sera poursuivie. FCI Electronics S.A. - 13000 Marseille Cedex 03 - France










All rights strictly reserved. Reproduction or reuse is strictly prohibited in any form without the written permission of FCI Electronics S.A. - 13000 Marseille Cedex 03 - France

PRODUCT NUMBER  
SEE SHEET 2

NOTES :

1. MINI PUSH-OUT FORCE TERMINAL IN BOTH DIRECTIONS 22N.
2. TO DETERMINE DIMENSIONS:  
N = NUMBER OF POSITIONS PER ROW  
EXAMPLE: 8 POS:  $(N \times 2.54) - 1 = 19.32$  mm



mat'l. code SEE NOTES				tolerances unless otherwise specified			CUSTOMER COPY		 <b>ELECTRONICS</b> www.fciconnect.com		
ltr	ecn no	dr	date	linear	.X ±0.3			projection 	title SHR. HEADER STR SR TMT		
F	F10540	DGR	91.07.08		.XX ±0.15						
G	F90151	DLE	99.03.03		.XXX ±0.05						
H	F90331	DLE	99.05.07	angles					product family DUBOX		
J	F10103	GCD	01.01.12	dr	D LEGRAND	99.03.03					
K	F10343	DLE	01.06.12	engr	JM PHAMVAN	99.03.03					
L	F04-0317	LMU	04.07.13	chr	JM PHAMVAN	99.03.03	scale 5:1	A3	size dwg no 76384		
M	F05-0159	LMU	05.03.31	app	JM PHAMVAN	99.03.03					
sheet index		revision	M A								
		sheet	1 2								

Tous droits réservés. Reproduction ou communication sans autorisation écrite de FCI Electronics S.A. est formellement interdite.



All rights strictly reserved. Reproduction or reuse is strictly prohibited in any form without the written authorization of FCI Electronics S.A. Copyright FCI Electronics S.A.

STANDARD PRODUCT NUMBER  
76384-YXX

PLATING CODE \_\_\_\_\_ NUMBER OF POSITIONS: 02 TO 36.

- 3= 0.76μm GOLD ON CONTACT AREA.  
3.81μm TIN-LEAD ON TAIL OVER 1.27μm Ni MIN.  
4= 3.81μm TIN LEAD OVER 1.27μm Ni MIN

NOTES:

- 1 - HOUSING MAT'L: THERMOPLASTIC GLASS FILLED  
FLAME RETARDANT PER UL 94 V-O COLOR: BLUE.
- 2 - TERMINAL MATERIAL: PHOSPHOR BRONZE.
- 3 - 2 UP TO 6 POSITIONS, PRODUCT PACKED IN PLASTIC BAG.  
7 UP TO 36 POSITIONS, PRODUCT PACKED IN TUBE.
- 4 - ONLY DASH NUMBER -X02 AND -X03  
ALWAYS TEN (10) PRODUCTS MOLDED ASSEMBLY  
& DELIVERY TOGETHER ACCORDING PHANTOM LINES.

RoHS COMPLIANT PRODUCT NUMBER  
76384-YXXLF

PLATING CODE \_\_\_\_\_



- 3= 0.76μm GOLD ON CONTACT AREA.  
2μm MIN MATTE TIN ON TAIL.  
OVER 1.27μm Ni MIN  
4= 2μm MIN MATTE TIN  
OVER 1.27μm Ni MIN

SUFFIX LETTER "LF" INDICATES THE PRODUCT  
IS RoHS COMPLIANT, SEE NOTE 5

NUMBER OF POSITIONS: 02 TO 18

NOTES:

- 1 - HOUSING MAT'L: THERMOPLASTIC GLASS FILLED  
FLAME RETARDANT PER UL 94 V-O COLOR: BLACK.
- 2 - TERMINAL MATERIAL: PHOSPHOR BRONZE.
- 3 - 2 UP TO 6 POSITIONS, PRODUCT PACKED IN PLASTIC BAG.  
7 UP TO 18 POSITIONS, PRODUCT PACKED IN TUBE.
- 4 - ONLY DASH NUMBER -X02 AND -X03  
ALWAYS TEN (10) PRODUCTS MOLDED ASSEMBLY  
& DELIVERED ON STRIP ACCORDING PHANTOM LINES.
- 5 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
  - a - PLATING:
    - "LF" MEANS THE PRODUCT IS LEAD-FREE,  
2μm MINIMUM MATTE TIN OVER 1.27μm  
MINIMUM NICKEL UNDERPLATE.
  - b - MANUFACTURING PROCESS COMPATIBILITY
    - THE HOUSING WILL WITHSTAND EXPOSURE TO  
260°C ±5°C SOLDER BATH TEMPERATURE FOR  
5 SECONDS IN A WAVE SOLDER APPLICATION  
WITH A 1.6mm MIN THICK CIRCUIT BOARD.
  - c - LABELING:
    - MEETS PACKAGING SPECS AS PER GS-14-920
  - d - LEGAL STATEMENT: SEE GS-22-008

mat'l. code SEE NOTES				tolerances unless otherwise specified		CUSTOMER COPY	 <b>ELECTRONICS</b> www.fciconnect.com		
ltr	ecn no	dr	date	linear	.x ±0.3				
A	F05-0159	LMU	05.03.31		.xx ±0.15				
					.xxx ±0.05				
				angles		 mm scale 5:1	title <b>SHR. HEADER</b> <b>STR SR TMT</b>		
				dr	L.MULIN	05.03.25			
				engr	J.COMPAGNON	05.03.25			
				chr					
				app	JM.C	05.03.25	product family DUBOX		code
sheet	revision						size	dwg no	213
index	sheet						A3	76384	sheet 2 of