





# Allen Electric Connector Sales, Inc.



## MS24265 JAM NUT BAYONET RECEPTACLE



| SHELL SIZE | Y<br>+-.003<br>MOUNTING<br>FLAT | U<br>MAX<br>HEX. | MM<br>+-.010 | WW<br>MAX.<br>DIA. | V<br>THREAD<br>CLASS 2A | W<br>+-.020 | MAX<br>PANEL | F<br>THREAD<br>CLASS 2A |
|------------|---------------------------------|------------------|--------------|--------------------|-------------------------|-------------|--------------|-------------------------|
| 8          | .593                            | .828             | .979         | 1.068              | 5/8-20 UNEF             | .117        | .125         | 7/16-28 UNEF            |
| 10         | .718                            | .953             | 1.104        | 1.192              | 11/16-24 UNEF           | .117        | .125         | 9/16-24 UNEF            |
| 12         | .905                            | 1.140            | 1.291        | 1.380              | 7/8-20 UNEF             | .117        | .125         | 3/4-20 UNEF             |
| 14         | .968                            | 1.250            | 1.391        | 1.505              | 15/16-20 UNEF           | .117        | .125         | 13/16-20 UNEF           |
| 16         | 1.093                           | 1.329            | 1.516        | 1.630              | 1 1/16-18 UNEF          | .117        | .125         | 15/16-20 UNEF           |
| 18         | 1.217                           | 1.455            | 1.641        | 1.740              | 1 3/16-18 UNEF          | .117        | .125         | 1 1/16-18 UNEF          |
| 20         | 1.342                           | 1.642            | 1.766        | 1.860              | 1 5/16-18 UNEF          | .117        | .125         | 1 3/16-18 UNEF          |
| 22         | 1.467                           | 1.705            | 1.954        | 2.040              | 1 7/16-18 UNEF          | .148        | .125         | 1 5/16-18 UNEF          |
| 24         | 1.592                           | 1.892            | 2.079        | 2.160              | 1 9/16-18 UNEF          | .148        | .125         | 1 7/16-18 UNEF          |


[MIL-C-26500 Polarizing Locksmith Keyed Positions](#)

[MIL-C-26500 Insert Arrangements](#)

[Panel Cut-Out Dimensions](#)

## MILITARY PART NUMBERING SYSTEM

-----



For pricing and availability, please fill out our RFQ form



If you need any other information, please



[aecs@aecsinc.com](mailto:aecs@aecsinc.com)

phone (703) 425-3815 fax (703) 425-3814

We look forward to hearing from you!



A Woman Owned Small Business, CAGE Code 07BG6

Copyright © 2000 - 2005 All Rights Reserved Allen Electric Connector Sales, Inc.



**Allen Electric  
Connector Sales, Inc.**




## MIL-C-26500 Insert Arrangements

Insert arrangement numbers are made by combining shell size (first one or two numbers before the dash) and the insert arrangement number (last one or two numbers after the dash). For example, a MS24266R10T20P is a shell size 10 with a 20 insert for a 10-20 insert arrangement. Insert arrangements are shown in numerical order by shell size and number of contacts in each shell size. Please note the color code legend for the contact size for this series.

### CONTACT SIZE LEGEND

12 = ●    16 = ●    20 = ●



For pricing and availability, please fill out our RFQ form



If you need any other information, please



[aecs@aecsinc.com](mailto:aecs@aecsinc.com)

phone (703) 425-3815 fax (703) 425-3814

We look forward to hearing from you!



A Woman Owned Small Business, CAGE Code 07BG6

Copyright © 2000 - 2005 All Rights Reserved Allen Electric Connector Sales, Inc.